


TRAILER **AXXLE**®

Trailer Axxle QR- ADAPTER

MADE IN GERMANY



Radoxx Components
GmbH Gänsbach 1
83253 Rimsting
Tel.:49(0)8051-6970534
Mail: shop@radoxx.de
Shop: shop.radoxx.de



A

Figure 1- Shows Standard Forged Hitch above and Steel Hitch below

Assembly Instructions for the Trailer AxXle QR Adapter

The Trailer AxXle QR Adapter allows you to attach a bicycle trailer hitch to frames where traditional dropout or axle mounting is not possible. The adapter replaces the axle nut on the left side (non-drive side) of the rear wheel and allows you to attach the hitch to the universal adapter.

Step 1: Preparing the Rear Wheel

1. Open the quick-release lever on the rear wheel.
2. Remove the adjustment nut (including the conical spring) on the opposite side.
3. Ensure the quick-release lever is on the right side (drive side) of the rear wheel.

If necessary, pull the quick-release skewer out of the hub and reinsert it from the right side.

Step 2: Installing the Quick-Release Adapter

1. Install the conical springs as shown in Fig. 1.
2. Screw the adapter onto the axle from the non-drive side (left).
3. Adjust the clamping force of the quick-release:

Hold the adapter firmly and screw the quick-release skewer in with the lever in the open position.

Close the quick-release lever to securely fix the rear wheel.

4. Check the fit of the rear wheel:

The quick-release lever should be tight enough to leave a noticeable impression on your palm when closed. Ensure the rear wheel is securely mounted, free of play, and able to spin freely.

Step 3: Attaching the Trailer Hitch

1. Slide the trailer hitch onto the threaded projection of the adapter.
2. Secure the hitch with the included washer and lock nut by hand in the correct position.
3. Tighten the lock nut to 12 Nm.

Important Note: If you have any questions regarding the use of the quick-release, refer to your bike's manual or contact your local bike shop.

Montageanleitung für den Trailer AxXle QR-Adapter

Der Trailer AxXle QR-Adapter ermöglicht es dir, eine Fahrradanhängerkupplung an Rahmen montieren, bei denen die Ausfallenden oder Achse eine normale Montage verhindern. Der Adapter ersetzt die Achsmutter auf der linken Seite (Nichtantriebsseite) des Hinterrads und erlaubt dir, die Kupplung am Universaladapter zu befestigen.

Schritt 1: Vorbereitung des Hinterrads

1. Öffne den Schnellspannhebel am Hinterrad.
2. Entferne die Einstellmutter (inkl. Konusfeder) auf der gegenüberliegenden Seite.
3. Stelle sicher, dass der Schnellspannhebel auf der rechten Seite (Antriebsseite) des Hinterrads ist.

Falls nötig, ziehe den Schnellspanner aus der Nabe heraus und setze ihn von der rechten Seite wieder ein.

Schritt 2: Montage des Schnellspann adaptors

1. Montiere die Konusfedern gemäß Fig. 1.
2. Schraube den Adapter von der Nichtantriebsseite (links) auf die Achse.
3. Justiere die Klemmkraft des Schnellspanners:

Halte den Adapter fest und schraube den Schnellspanner in geöffneter Position ein. Schließe den Schnellspannhebel, um das Hinterrad sicher zu fixieren.

4. Prüfe den Sitz des Hinterrads:

Der Schnellspannhebel sollte fest genug sein, dass er beim Schließen einen deutlichen Abdruck auf deiner Handfläche hinterlässt. Stelle sicher, dass das Hinterrad fest und spielfrei sitzt und sich frei drehen lässt.

Schritt 3: Montage der Anhängerkupplung

1. Stecke die Anhängerkupplung auf den Gewindefortsatz des Adapters.
2. Befestige die Kupplung mit der beiliegenden Scheibe und der Sicherungsmutter handfest.
3. Ziehe die Sicherungsmutter mit 12 Nm fest. Halte den Adapter dabei mit einem Innensechskant- oder Maulschlüssel fest.

Wichtiger Hinweis: Wenn du Fragen zur Bedienung des Schnellspanners hast, wirf einen Blick in die Bedienungsanleitung deines Fahrrads oder kontaktiere deinen Fahrradhändler.

Warranty

This Trailer Axxle Adapter is warranted from the date of purchase against defects in materials and workmanship as follows for two years. Your original dated sales or delivery receipt showing the date of purchase is your proof of purchase.

If a defect in materials or workmanship is discovered during the Limited Warranty period, we will, at our sole option, repair or replace your product at no cost to you. This warranty is only valid in the country in which the product was purchased.

The Limited Warranty extends only to the original retail purchaser of this product and is not transferable to anyone who obtains ownership of the product from the original purchaser.

The Limited Warranty does not cover claims resulting from misuse, failure to follow the instructions, installation, improper maintenance and use, abuse, alteration, involvement in an accident, and normal wear and tear. The Limited Warranty does not cover products which are used in rental operations and Burley will not be liable for any incidental or commercial damages relating to such use.

TO THE GREATEST EXTENT PERMITTED BY LAW, THIS LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, WRITTEN OR ORAL, INCLUDING BUT NOT LIMITED TO ANY EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The duration of any implied warranties, including any implied warranty of merchantability or fitness for a particular purpose that may exist during the express warranty period is expressly limited to the limited warranty period.

Some states and countries do not allow limitations on how long an implied warranty lasts; therefore, the above limitations and exclusions may not apply to you.

THE CUSTOMER'S EXCLUSIVE REMEDY FOR BREACH OF THIS LIMITED WARRANTY OR OF ANY IMPLIED WARRANTY OR OF ANY OTHER OBLIGATION ARISING BY OPERATION OF LAW OR OTHERWISE SHALL BE LIMITED AS SPECIFIED HEREIN TO REPAIR OR REPLACEMENT, AT OUR SOLE OPTION. IN ANY EVENT, RESPONSIBILITY FOR SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES IS EXPRESSLY EXCLUDED.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This Limited Warranty gives you specific legal rights, and you may have other rights that vary from state to state or country.

Please be prepared to provide the product model, serial number and a description of the warranty issue.

Some replacement parts may be available for purchase after this limited warranty expires. Please visit us at www.shop.radoxx.de or write us at shop@radoxx.de for more information.

Gewährleistung:

Für diesen Trailer Axxle - Kupplungsadapter gilt eine Garantie bei Material- und Fertigungsfehlern von zwei Jahren ab Kaufdatum wie folgt. Ihr datierter Original-Kauf- oder -Lieferbeleg mit Kaufdatum dient als Ihr Kaufnachweis. Sollte ein Material- oder Produktionsfehler während der begrenzten Gewährleistung festgestellt werden, so werden wir nach eigenem Ermessen Ihr Produkt kostenfrei reparieren oder ersetzen. Diese Gewährleistung ist nur in dem Land gültig, in dem das Produkt erworben wurde. Die begrenzte Gewährleistung gilt nur für den ursprünglichen Käufer dieses Produkts und ist nicht auf eine Person übertragbar, die das Produkt vom ursprünglichen Käufer übernimmt. Die begrenzte Gewährleistung gilt nicht für Ansprüche, die aus einem Missbrauch, einer Nichtbefolgung der Anweisungen, der Montageanleitung, einer unsachgemäßen Wartung und Nutzung, einer Zweckentfremdung, der Verwicklung in einen Unfall oder aus der normalen Abnutzung resultieren. Die begrenzte Gewährleistung gilt nicht für Produkte, die vermietet werden. Burley haftet nicht für jegliche unbeabsichtigte oder kommerzielle Schäden in Verbindung mit einer solchen Nutzung. SOWEIT PER GESETZ ERLAUBT, IST DIESE BEGRENZTE GEWÄHRLEISTUNG EXKLUSIV UND ERSETZT JEDE ANDERE GEWÄHRLEISTUNG, OB SCHRIFTLICH ODER MÜNDLICH, EINSCHLIESSLICH, JEDOCH NICHT BEGRENZT AUF JEGLICHE AUSDRÜCKLICHE ODER STILLSCHWEIGENDE ZUSICHERUNG DER GEBRAUCHSTAUGLICHKEIT FÜR EINEN BESTIMMTEN ZWECK. Die Dauer jeglicher stillschweigender Gewährleistungen, einschließlich jeglicher stillschweigender Zusicherung der Gebrauchstauglichkeit für einen bestimmten Zweck, die während des Gültigkeitszeitraums der ausdrücklichen Gewährleistung bestehen, sind ausdrücklich auf den Gültigkeitszeitraum der begrenzten Gewährleistung begrenzt. Einige Staaten und Länder erlauben keine Begrenzung der Gültigkeit einer stillschweigenden, begrenzten Gewährleistung. Daher gelten die obigen Begrenzungen und Ausschlüsse möglicherweise nicht für Sie. DAS EXKLUSIVE RECHTSMITTEL DES KUNDEN BEI EINER VERLETZUNG DIESER BEGRENZTEN GEWÄHRLEISTUNG, EINER STILLSCHWEIGENDEN GEWÄHRLEISTUNG ODER EINER ANDEREN GESETZLICH ODER ANDERWEITIG HERVORGEHENDEN OBLIEGENHEIT IST WIE HIERIN SPEZIFIZIERT AUF EINE REPARATUR ODER EINEN ERSATZ NACH UNSEREM EIGENEN ERMESSEN BEGRENZT. IN JEDEM FALL IST EINE HAFTUNG FÜR SPEZIELLE, UNBEABSICHTIGTE UND FOLGESCHÄDEN AUSDRÜCKLICH AUSGESCHLOSSEN. Einige Staaten erlauben nicht den Ausschluss der Begrenzung von unbeabsichtigten oder Folgeschäden. Daher gelten die obigen Ausschlüsse und Begrenzungen möglicherweise nicht für Sie. Diese begrenzte Gewährleistung gewährt Ihnen spezielle Rechte. Sie haben möglicherweise andere Rechte, die von Staat zu Staat oder Land variieren. Bitte halten Sie das Produktmodell, die Seriennummer und eine Beschreibung des Garantiefalls bereit. Einige Ersatzteile stehen möglicherweise auch nach Ablauf dieser begrenzten Gewährleistung zum Kauf zur Verfügung. Bitte besuchen Sie uns unter www.shop.radoxx.de oder schreiben Sie uns an shop@radoxx.de für weitere Informationen.